

By: Amol B. Adgaonkar et al.


Date Filed: October 22, 2003 Page 1 of 8

1/8





By: Amol B. Adgaonkar et al. Date Filed: October 22, 2003 Page 2 of 8



Allorney & Dockel, 020431.1130 For: Pull Planning for Unserviceable Parts in connection with On-Demand Planning By: Amol B. Adgaonkar et al.

Date Filed: October 22, 2003 Page 3 of 8




FIG. 5

END

For: Pull Planning for Unserviceable Parts in connection with On-Demand Planning

By: Amol B. Adgaonkar et al.
Date Filed: October 22, 2003 Page 4 of 8





FIG. 6A



 $40 - \begin{array}{c|c} & \text{USE BUFFER PROFILE AT} \\ & 30 - \\ \hline & 30 - \\ \hline & 20 - \\ \hline & 10 - \\ \hline & 0 & \hline & 3 & \hline & \\ \hline & 10 - \\ \hline & 0 & 1 & 2 & 3 & 4 & 5 \\ \hline & \text{TIME} \\ \hline & \textit{FIG. 6C} \\ \end{array}$

By: Amol B. Adgaonkar et al.

Date Filed: October 22, 2003 Page 5 of 8

5/8






FIG. 6D




RTS BUFFER PROFILE AT 40 **REPAIR LOCATION 3** 30 QUANTITY 20 10 10 0 |0 4 2 3 1 TIME

FIG. 6F

By: Amol B. Adgaonkar et al. Date Filed: October 22, 2003 Page 6 of 8



By: Amol B. Adgaonkar et al. Date Filed: October 22, 2003 Page 7 of 8



For: Pull Planning for Unserviceable Parts in connection with On-Demand Planning
By: Amol B. Adgaonkar et al.

Date Filed: October 22, 2003 Page 8 of 8

8/8

